

**SAMPLE TYPE:** Serum

**DOCTOR / PATIENT ID:**

**PAGES:** 1 of 4

**PRACTITIONER**

**PATIENT**

**Name:** REPORT, SAMPLE

TEST	RESULT			
Array 10-90 - Food Immune Reactivity Screen **	IN RANGE (Normal)	EQUIVOCAL*	OUT OF RANGE	REFERENCE (ELISA Index)
<b>DAIRY and EGGS, Modified</b>				
Egg White, cooked		1.16		0.1-1.6
Egg Yolk, cooked	0.31			0.1-1.7
Soft Cheese + Hard Cheese	0.20			0.1-1.7
Yogurt			2.10	0.1-2.0
<b>GRAINS, Raw and Modified</b>				
Rice, white + brown, cooked	0.62			0.1-1.3
Wild Rice, cooked	0.43			0.1-1.3
Wheat + Alpha-Gliadins	0.38			0.2-1.9
<b>BEANS and LEGUMES, Modified</b>				
Black Bean, cooked	0.71			0.3-2.1
Bean Agglutinins			2.58	0.3-1.9
Dark Chocolate + Cocoa	0.60			0.2-1.2
Garbanzo Bean, cooked	0.62			0.2-1.8
Kidney Bean, cooked	0.43			0.3-1.5
Lentil, cooked			2.85	0.3-2.0
Pinto Bean, cooked		2.33		0.4-2.4
Soy Sauce, gluten-free	0.81			0.2-1.9
Tofu	0.60			0.2-1.4
<b>NUTS and SEEDS, Raw and Modified</b>				
Almond, roasted	0.37			0.2-2.0
Cashew	0.93			0.2-1.5
Flax Seed			1.60	0.1-1.3
Mustard Seed	0.57			0.4-1.5
Peanut, roasted	0.61			0.2-1.4
Sesame Oleosin	0.68			0.2-1.6

\*\* For details on the method of cooking, please see specification sheets. All analytes are tested for IgG and IgA combined.

\* Reference ranges are calculated based on the mean  $\pm 2$  standard deviations (SD). Results  $> 1$  SD, and  $< 2$  SDs above the mean are considered to be equivocal. An equivocal result represents the range between negative and suspicious low positive results. Results  $> 2$  SDs are considered out of range, and positive.

Mark G. Kartub, M.D., Medical Director

Cyrex Laboratories is certified under the Clinical Laboratory Improvement Amendments of 1988 ("CLIA") as qualified to perform high-complexity clinical testing. Test result data on its own does not constitute a diagnosis. Only a physician or qualified healthcare professional should interpret the significance of a clinical lab test or make a diagnosis. This test was developed and its performance characteristics determined by Cyrex Laboratories, LLC. The names and titles of tests and arrays are for reference purposes only.

**PRACTITIONER**

**DEMOCR, DEMOCR TEST**

2602 S. 24th Street  
Phoenix, Arizona 85034

**PATIENT**

**Name:** REPORT, SAMPLE

**DOB:** 11/01/1990

**Gender:** M

Sunflower Seeds, roasted	0.87			0.2-1.5
Walnut	0.66			0.3-2.0
<b>VEGETABLES, Raw and Modified</b>				
Asparagus, cooked			2.30	0.1-2.2
Beet, cooked		1.47		0.1-1.5
Bell Pepper	0.53			0.1-1.8
Broccoli	0.48			0.1-1.5
Cabbage, red + green			2.60	0.1-2.5
Canola Oleosin	0.80			0.1-1.9
Carrot	0.66			0.1-2.7
Cauliflower, cooked	0.37			0.1-2.2
Celery	0.59			0.1-2.3
Chili Pepper	0.48			0.1-1.9
Popped Corn		1.38		0.1-1.9
Eggplant, cooked	0.26			0.1-2.1
Garlic	0.31			0.1-2.2
Green Bean, cooked	0.40			0.1-1.5
Lettuce	0.25			0.1-1.5
Mushroom, raw + cooked	0.47			0.1-1.6
Onion + Scallion	0.34			0.1-1.7
Pea, cooked	0.49			0.1-1.5
Potato, white, cooked (fried)	0.44			0.1-1.6
Pumpkin + Squash, cooked	0.36			0.1-1.3
Radish			1.87	0.1-1.7
Spinach + Aquaporin	0.42			0.1-1.5
Tomato Paste	0.51			0.2-2.1
Yam + Sweet Potato, cooked	0.57			0.3-1.9
Zucchini, cooked		1.65		0.3-1.9
<b>FRUIT, Raw and Modified</b>				
Apple	0.44			0.2-1.5

\*\* For details on the method of cooking, please see specification sheets. All analytes are tested for IgG and IgA combined.

\* Reference ranges are calculated based on the mean  $\pm 2$  standard deviations (SD). Results > 1 SD, and < 2 SDs above the mean are considered to be equivocal. An equivocal result represents the range between negative and suspicious low positive results. Results > 2 SDs are considered out of range, and positive.

Mark G. Kartub, M.D., Medical Director

Cyrex Laboratories is certified under the Clinical Laboratory Improvement Amendments of 1988 ("CLIA") as qualified to perform high-complexity clinical testing. Test result data on its own does not constitute a diagnosis. Only a physician or qualified healthcare professional should interpret the significance of a clinical lab test or make a diagnosis. This test was developed and its performance characteristics determined by Cyrex Laboratories, LLC. The names and titles of tests and arrays are for reference purposes only.

**PRACTITIONER**

**DEMOCR, DEMOCR TEST**

2602 S. 24th Street  
Phoenix, Arizona 85034

**PATIENT**

**Name:** REPORT, SAMPLE

**DOB:** 11/01/1990

**Gender:** M

Avocado	0.64			0.6-2.5
Banana	0.57			0.1-2.3
Blueberry	0.48			0.1-1.6
Cantaloupe + Honeydew Melon	0.32			0.1-1.2
Coconut, meat + water	0.55			0.2-2.0
Grape, red + green	0.49			0.2-1.0
Lemon + Lime	0.66			0.2-1.3
Orange			1.89	0.2-1.7
Peach + Nectarine	0.69			0.2-2.0
Pear	0.44			0.2-2.6
Pineapple	0.31			0.1-1.9
Strawberry		1.85		0.3-2.3
Watermelon	0.53			0.2-1.8
<b>FISH and SEAFOOD, Raw and Modified</b>				
Cod, cooked	0.72			0.2-1.8
Salmon, cooked	0.79			0.2-2.4
Tuna	0.91			0.1-2.7
Tuna, cooked	0.73			0.1-1.3
Whitefish, cooked	0.63			0.1-1.4
Crab + Lobster, cooked			2.79	0.2-2.1
Clam, cooked	0.60			0.1-1.9
Shrimp, cooked		1.75		0.1-2.1
Shrimp Tropomyosin	0.74			0.1-1.6
<b>MEAT, Modified</b>				
Beef, cooked medium	0.73			0.3-1.9
Chicken, cooked	0.52			0.2-1.5
Pork, cooked	0.47			0.1-2.2
Turkey, cooked	0.33			0.1-1.3
Meat Glue			1.39	0.1-1.3

\*\* For details on the method of cooking, please see specification sheets. All analytes are tested for IgG and IgA combined.

\* Reference ranges are calculated based on the mean  $\pm 2$  standard deviations (SD). Results > 1 SD, and < 2 SDs above the mean are considered to be equivocal. An equivocal result represents the range between negative and suspicious low positive results. Results > 2 SDs are considered out of range, and positive.

Mark G. Kartub, M.D., Medical Director

Cyrex Laboratories is certified under the Clinical Laboratory Improvement Amendments of 1988 ("CLIA") as qualified to perform high-complexity clinical testing. Test result data on its own does not constitute a diagnosis. Only a physician or qualified healthcare professional should interpret the significance of a clinical lab test or make a diagnosis. This test was developed and its performance characteristics determined by Cyrex Laboratories, LLC. The names and titles of tests and arrays are for reference purposes only.

**PRACTITIONER**
**DEMOCR, DEMOCR TEST**

 2602 S. 24th Street  
 Phoenix, Arizona 85034

**PATIENT**
**Name:** REPORT, SAMPLE

**DOB:** 11/01/1990

**Gender:** M

HERBS, Raw				
Basil	0.69			0.2-1.8
Cilantro	0.73			0.1-1.5
Oregano			2.87	0.4-2.6
Parsley		1.19		0.1-1.3
Rosemary	0.58			0.3-2.2
SPICES, Raw				
Cinnamon	0.60			0.3-1.7
Ginger		1.85		0.1-2.5
Turmeric (Curcumin)	0.69			0.1-1.7
Vanilla	0.58			0.1-2.4
GUMS				
Carrageenan	0.67			0.2-2.0
Xanthan Gum	0.55			0.1-1.7
BREWED BEVERAGES and ADDITIVES				
Honey, raw +processed			1.44	0.1-1.3
Food Coloring	0.85			0.2-1.8

\*\* For details on the method of cooking, please see specification sheets. All analytes are tested for IgG and IgA combined.

 \* Reference ranges are calculated based on the mean  $\pm 2$  standard deviations (SD). Results > 1 SD, and < 2 SDs above the mean are considered to be equivocal. An equivocal result represents the range between negative and suspicious low positive results. Results > 2 SDs are considered out of range, and positive.

Mark G. Kartub, M.D., Medical Director

Cyrex Laboratories is certified under the Clinical Laboratory Improvement Amendments of 1988 ("CLIA") as qualified to perform high-complexity clinical testing. Test result data on its own does not constitute a diagnosis. Only a physician or qualified healthcare professional should interpret the significance of a clinical lab test or make a diagnosis. This test was developed and its performance characteristics determined by Cyrex Laboratories, LLC. The names and titles of tests and arrays are for reference purposes only.